













TE CTL7001			TE CTL7003		
上滑			边封		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.67		1.0	0.414	



TE CTL7001A			CTL7011		
固上滑					
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.947		1.0	0.684	



TE CTL7031C			TE CTL7013		
固上滑			边封盖板		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.905		0.8	0.281	



TE CTL7002			TE CTL7018		
下 滑			插板		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.648	0.8	0.236		



TE CTL7002A			TE CTL7008		
下 滑			中 梃		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.555		1.0	0.648	


TE CTL7010			TE CTL7007		
上 固			勾 企		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.456		1.0	0.417	


TE CTL7010C			TE CTL7004A		
上 固			上下方		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.448		1.0	0.418	


TE CTL7004			TE CTL7005A		
上下方			大下方		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.384		1.0	0.522	


TE CTL7005			TE CTL7006A		
大下方			光 企		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.488		1.0	0.467	

TE CTL7006			TE CTL7007A		
光 企			勾 企		
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)	
1.0	0.436		1.0	0.448	


TE SL04				
纱 扇				
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)
0.8	0.231			

TE YX222				
压 线				
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)
1.0	0.136			

TE YX004				
压 线				
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)
0.8	0.103			

TE YX007				
双玻压线				
壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)
0.8	0.131			

壁厚 (mm)	理论重 (Kg/m)		壁厚 (mm)	理论重 (Kg/m)



H=1500, H1=500, H2=1000, W=1500

用料清单							
序号	名 称	型 号	壁厚mm	米重Kg/M	下料尺寸mm	支数	总重量Kg
1	边封	TE CTL7003	1.0	0.414	1500.0	2	1.242
2	固上滑	TE CTL7001A	1.0	0.947	1470.0	1	1.392
3	下滑	TE CTL7002	1.0	0.648	1470.0	1	0.953
4	上固定	TE CTL7010	1.0	0.456	1470.0	1	0.670
5	上方	TE CTL7004	1.0	0.384	687.3	2	0.528
6	内下方	TE CTL7004	1.0	0.384	687.3	1	0.264
7	外下方	TE CTL7005	1.0	0.488	687.3	1	0.335
8	光企	TE CTL7006	1.0	0.436	935.5	1	0.408
9	勾企	TE CTL7007	1.0	0.417	935.5	1	0.390
10	外光企	TE CTL7006	1.0	0.436	945.5	1	0.412
11	外勾企	TE CTL7007	1.0	0.417	945.5	1	0.394
12	边封盖板	TE CTL7013	0.8	0.281	475.0	2	0.267
13	横压线	TE YX004	0.8	0.103	1438.4	2	0.296
14	竖压线	TE YX004	0.8	0.103	475.0	2	0.098
15	横纱扇	TE SL04	0.8	0.231	728.0	2	0.336
16	竖纱扇	TE SL04	0.8	0.231	927.0	2	0.428
17	合计						8.414
18	每平方米用料						3.740

TE CTL70系列推拉窗装配图

